



**POLLARD AIRCRAFT SALES, INC.
400 GULFSTREAM RD HANGAR 9S
FT.WORTH, TX 76106**

**1-888-KING-AIR
(817) 626-7000
FAX: (817) 887-2777**

**2007 LEARJET 45XR
N454N s/n 45-339**



AIRFRAME TOTAL TIME: 5,149.3 HOURS 4,388 LANDINGS.

ENGINES

HONEYWELL TFE731-20BR-1B

HONEYWELL MSP MAINTENANCE PROGRAM

- LEFT ENGINE: S/N P-116852C. TSN: 5,149.3 Hours. CSN: 4388
- RIGHT ENGINE: S/N P-116853C. TSN: 5,020.7 Hours. CSN: 4,311

Preliminary Specs



APU

HONEYWELL RE100(LI): S/N P-357 TSN: 1842.4 Hours 4,567 Cycles

Honeywell MSP Maintenance Service Plan



AVIONICS

ADF: Dual Honeywell DF-850

AHRS: Dual Honeywell AHZ-800

Autopilot: Honeywell Primus 1000 IFCS

Communication Radios: Dual Honeywell Primus II w/8.33 kHz spacing

CVR: CVR

DME: Dual Honeywell DM-850

EFIS: Honeywell DU-875 4-tube

Flight Director: Honeywell Primus 1000 IFCS

Preliminary Specs



FMS: Dual Universal UNS-1Esp
GPS: Yes
Hi Frequency: King KHF-1050 w/SELCAL
Navigation Radios: Dual Honeywell RNZ-851
Radar Altimeter: Honeywell RT-300
SATCOM: AirCell ST-3100 Iridium w/dual handsets
TAWS: Honeywell Mark V GPWS
Transponder: Dual Collins TDR-94D
Weather Radar: Honeywell Primus 660



HIGHLIGHTS

Dual Flight Management Systems

Auxiliary Power Unit

SATCOM

Cockpit Voice Recorder

Preliminary Specs



- 8.33 channel spacing
 - Terrain Awareness & Warning System
 - Traffic Collision Avoidance System
 - RVSM
 - Emergency Locator Transmitter
 - ADS-B Capable
 - Weather Radar
 - Aft Lavatory
 - Belted Lav
 - Forward Galley
- High-Speed Data/Wifi





INTERIOR

Configuration/PAX: Executive/8 passengers

Refreshment : Forward galley w/liquid warmer, ice drawer, storage & trash storage

Cabinetry/Wood: Aft left side Pyramid cabinet

Entertainment: Airshow 410, cabin entertainment system, cabin audio system, video system w/single DVD player, 10.4-inch forward monitor, 10.4-inch aft tracking video monitor, Airshow additional map package

Business : Gogo ATG-5000 Wi-Fi

Storage: Flip-down baggage shelf, coat closet, eight seat storage drawers

Lavatory: Belted aft lav





